

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	"372".clas. and (driver and (series with resistance with capacitor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/09 15:55
S1	620	372/38.02.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 09:01
S2	5	S1 and ((level near2 shift\$3) and modulation and bias and (?mosfet or mosfet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 09:36
S3	5	S1 and ((level near2 shift\$3) and modulation and (bias or driv\$3) and (?mosfet or mosfet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 09:38
S4	2	("20050226279").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/08 09:38
S5	0	S3 not S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 09:37
S6	132	372/29.015.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 09:38
S7	0	S6 and ((level near2 shift\$3) and modulation and (bias or driv\$3) and (?mosfet or mosfet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 09:39
S8	1	S6 and (modulation and (bias or driv\$3) and (?mosfet or mosfet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 09:40
S9	25	S1 and (modulation and (bias or driv\$3) and (?mosfet or mosfet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 15:19

S10	16	("3705992" "4400812" "4401364" "4616898" "4805977" "5459328" "5530936" "5604759" "5736881" "5920423" "6031855" "6061378" "6137816" "6259714" "6292288").PN. OR ("6798801").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/08 11:24
S11	2	("6037832" "6097159").PN. OR ("6700909").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/08 15:16
S12	33	S1 and (modulat\$3 and (bias or driv\$3) and (?mosfet\$1 or mosfet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/09 08:36
S13	8	S12 not S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 15:20
S14	10	("4451766" "5402433" "5444728" "5563898" "5754577" "5930276" "6130562" "6151346" "6160647" "RE36491").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/08 15:59
S15	12	("4796266" "4809286" "5297157" "5444728" "5748657" "5825819").PN. OR ("6130562").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/09 08:25
S16	620	372/38.02.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/09 08:25
S17	51	S16 and cmos	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/09 08:25
S18	132	372/29.015.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/09 09:09
S19	4	S18 and (modulat\$3 and (bias or driv\$3) and (?mosfet\$1 or mosfet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/09 08:36
S20	74	"372".clas. and ((digital with (driv\$3)) and (clock or clk) and (bias and modulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/09 09:58

S21	23	"372".clas. and ((digital with (driv\$3)) and ((digital with (clock or clk)) same (bias or modulat\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/09 09:59
S22	1	"372".clas. and (buffered near2 level near2 shifter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/09 10:29
S23	4	(driver and (laser or led or optical)) and (buffered near2 level near2 shifter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/09 10:41
S24	2	("6771131").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/09 15:55